

## EAST Search History

## EAST Search History (Prior Art)

| Ref # | Hits | Search Query  | DBs   | Default Operator | Plurals | Time Stamp          |
|-------|------|---|---|------------------|---------|---------------------|
| L1    | 64   | qpc and cpm and cpi   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ              | ON      | 2009/11/09<br>11:25 |
| L2    | 89   | cpm and cpi and<br>@ad<"20031229"   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ              | ON      | 2009/11/09<br>11:26 |
| L3    | 14   | cpm and cpi and qpc and<br>@ad<"20031229"                                   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ              | ON      | 2009/11/09<br>11:26 |
| S1    | 0    | binary with sequence with<br>concatenate with character                     | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ              | ON      | 2007/10/10<br>10:02 |
| S2    | 1248 | binary with sequence with<br>character                                      | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ              | ON      | 2007/10/10<br>10:02 |
| S3    | 11   | binary with sequence with<br>character with concat\$8                       | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ              | ON      | 2007/10/10<br>10:02 |
| S4    | 6    | binary with sequence with<br>character with concat\$8<br>and @ad<"20031229" | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ              | ON      | 2007/10/10<br>10:06 |

|     |     |   |   |     |    |                     |
|-----|-----|---|---|-----|----|---------------------|
| S5  | 25  | convert with binary with sequence with character and @ad<"20031229"                         | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/10/11<br>11:06 |
| S6  | 162 | represent with binary with (sequence or string) with character and @ad<"20031229"           | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/10/10<br>10:11 |
| S7  | 34  | represent near3 binary with (sequence or string) near3 character and @ad<"20031229"         | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/10/11<br>11:08 |
| S8  | 0   | (ad or advertisement) with click with encode with URL and @ad<"20031229"                    | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/10/10<br>14:52 |
| S9  | 0   | (ad or advertisement) with click same (encode with URL) and @ad<"20031229"                  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/10/10<br>14:52 |
| S10 | 143 | (ad or advertisement) with click with url and @ad<"20031229"                                | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/10/10<br>14:54 |
| S11 | 0   | (ad or advertisement) with click with intermediate with url and @ad<"20031229"              | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/10/10<br>14:54 |
| S12 | 0   | (ad or advertisement) with click with url same (intermediate with track) and @ad<"20031229" | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/10/10<br>14:55 |
| S13 | 1   | (ad or advertisement) with click with url same (track) and @ad<"20031229"                   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/10/10<br>14:58 |

|     |   |  |   |     |    |                     |
|-----|---|--|---|-----|----|---------------------|
| S14 | 0 | ((ad or advertisement) with click with url same (track) and (intermediate near3 server) and @ad<"20031229"                 | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/10/10<br>15:07 |
| S15 | 1 | ((ad or advertisement) with click with redirect with (proxy or intermediate)) and @ad<"20031229"                           | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/10/10<br>15:09 |
| S16 | 0 | ((ad or advertisement) with click with redirect) and (track same statistics) @ad<"20031229"                                | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/10/10<br>15:12 |
| S17 | 0 | ((ad or advertisement) with click with redirect) and (track) @ad<"20031229"  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/10/10<br>15:11 |
| S18 | 0 | ((ad or advertisement) with click with re-direct) and (track) @ad<"20031229"   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/10/10<br>15:12 |
| S19 | 0 | ((ad or advertisement) with click with redirect) and (track same statistics) and @ad<"20031229"                            | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/10/10<br>15:12 |
| S20 | 1 | ((ad or advertisement) with click with re-direct) and (track same statistics) and @ad<"20031229"                           | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/10/10<br>15:15 |
| S21 | 1 | ((ad or advertisement) with click with (re-direct or redirect)) and (track same statistics) and @ad<"20031229"             | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/10/10<br>15:15 |
| S22 | 1 | ((ad or advertisement) with click with (re-direct or redirect or redirect)) and (track same statistics) and @ad<"20031229" | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/10/10<br>15:18 |

|     |        |   |   |     |    |                     |
|-----|--------|---|---|-----|----|---------------------|
| S23 | 457051 | microprocessor  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/10/10<br>15:15 |
| S24 | 10551  | micro-processor   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/10/10<br>15:16 |
| S25 | 16850  | micro processor   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/10/10<br>15:15 |
| S26 | 462573 | micro-processor or<br>microprocessor  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/10/10<br>15:15 |
| S27 | 16850  | micro-processor or micro<br>processor   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/10/10<br>15:16 |
| S28 | 40     | ((ad or advertisement)<br>with click with (re-direct or<br>redirect or redirect)) and<br>(track) and<br>@ad< "20031229"       | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/10/10<br>15:20 |
| S29 | 0      | ((ad or advertisement)<br>with click with (re-direct or<br>redirect or redirect)) with<br>intermediate and<br>@ad< "20031229" | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/10/10<br>15:20 |
| S30 | 27     | represent near3 binary<br>with (sequence or string)<br>near3 character and<br>@ad< "20030124"                                 | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/10/11<br>11:05 |
| S31 | 25     | convert with binary with<br>sequence with character<br>and @ad< "20031229"  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/10/11<br>11:07 |

|     |      |   |   |     |    |                     |
|-----|------|---|---|-----|----|---------------------|
| S32 | 136  | (represent or convert) with binary with (sequence or string) near3 character and @ad<"20031229" | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/10/11<br>11:11 |
| S33 | 8    | store near4 (binary data) with (sequence or string) near3 character and @ad<"20031229"          | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/10/11<br>11:11 |
| S34 | 0    | encode with URL with (time or charge\$4) @ad<"20031229"   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2008/07/02<br>08:32 |
| S35 | 12   | encode with URL with (time or charge\$4) and @ad<"20031229"                                     | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2008/07/02<br>08:32 |
| S36 | 3339 | ((encode or contain or insert) NEAR2 URL) and @ad<"20031229"                                    | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2008/07/02<br>08:35 |
| S37 | 783  | ((encode or contain or insert) NEAR2 URL) with information and @ad<"20031229"                   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2008/07/02<br>08:35 |
| S38 | 48   | ((encode) NEAR2 URL) with information and @ad<"20031229"  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2008/07/02<br>08:36 |
| S39 | 0    | binary with sequence with concatenate with character  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2008/07/02<br>11:28 |
| S40 | 1297 | binary with sequence with character   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2008/07/02<br>11:28 |

|     |     |   |   |     |    |                     |
|-----|-----|---|---|-----|----|---------------------|
| S41 | 11  | binary with sequence with character with concat\$8                                  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2008/07/02<br>11:28 |
| S42 | 6   | binary with sequence with character with concat\$8 and @ad<"20031229"               | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2008/07/02<br>11:28 |
| S43 | 26  | convert with binary with sequence with character and @ad<"20031229"                 | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2008/07/02<br>11:28 |
| S44 | 161 | represent with binary with (sequence or string) with character and @ad<"20031229"   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2008/07/02<br>11:28 |
| S45 | 34  | represent near3 binary with (sequence or string) near3 character and @ad<"20031229" | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2008/07/02<br>11:28 |
| S46 | 0   | (ad or advertisement) with click with encode with URL and @ad<"20031229"            | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2008/07/02<br>11:28 |
| S47 | 0   | (ad or advertisement) with click same (encode with URL) and @ad<"20031229"          | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2008/07/02<br>11:28 |
| S48 | 147 | (ad or advertisement) with click with url and @ad<"20031229"                        | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2008/07/02<br>11:28 |
| S49 | 0   | (ad or advertisement) with click with intermediate with url and @ad<"20031229"      | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2008/07/02<br>11:28 |

|     |   |   |   |     |    |                     |
|-----|---|---|---|-----|----|---------------------|
| S50 | 0 | (ad or advertisement) with click with url same (intermediate with track) and @ad<"20031229"               | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2008/07/02<br>11:28 |
| S51 | 2 | (ad or advertisement) with click with url same (track) and @ad<"20031229"                                 | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2008/07/02<br>11:28 |
| S52 | 0 | (ad or advertisement) with click with url same (track) and (intermediate near3 server) and @ad<"20031229" | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2008/07/02<br>11:28 |
| S53 | 1 | ((ad or advertisement) with click with redirect with (proxy or intermediate)) and @ad<"20031229"          | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2008/07/02<br>11:28 |
| S54 | 0 | ((ad or advertisement) with click with redirect) and (track same statistics) @ad<"20031229"               | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2008/07/02<br>11:28 |
| S55 | 0 | ((ad or advertisement) with click with redirect) and (track) @ad<"20031229"                               | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2008/07/02<br>11:28 |
| S56 | 0 | ((ad or advertisement) with click with re-direct) and (track) @ad<"20031229"                              | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2008/07/02<br>11:28 |
| S57 | 0 | ((ad or advertisement) with click with redirect) and (track same statistics) and @ad<"20031229"           | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2008/07/02<br>11:28 |
| S58 | 1 | ((ad or advertisement) with click with re-direct) and (track same statistics) and @ad<"20031229"          | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2008/07/02<br>11:28 |

|     |        |  |   |     |    |                     |
|-----|--------|--|---|-----|----|---------------------|
| S59 | 1      | ((ad or advertisement) with click with (re-direct or redirect)) and (track same statistics) and @ad<"20031229"             | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2008/07/02<br>11:28 |
| S60 | 1      | ((ad or advertisement) with click with (re-direct or redirect or redirect)) and (track same statistics) and @ad<"20031229" | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2008/07/02<br>11:28 |
| S61 | 496113 | microprocessor   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2008/07/02<br>11:28 |
| S62 | 11149  | micro-processor  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2008/07/02<br>11:28 |
| S63 | 17976  | micro processor  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2008/07/02<br>11:28 |
| S64 | 502093 | micro-processor or microprocessor  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2008/07/02<br>11:28 |
| S65 | 17976  | micro-processor or micro processor   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2008/07/02<br>11:28 |
| S66 | 40     | ((ad or advertisement) with click with (re-direct or redirect or redirect)) and (track) and @ad<"20031229"                 | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2008/07/02<br>11:28 |
| S67 | 0      | ((ad or advertisement) with click with (re-direct or redirect or redirect)) with intermediate and @ad<"20031229"           | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2008/07/02<br>11:28 |



|     |     |   |   |     |    |                     |
|-----|-----|---|---|-----|----|---------------------|
| S68 | 27  | represent near3 binary with (sequence or string) near3 character and @ad<"20030124"             | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2008/07/02<br>11:28 |
| S69 | 26  | convert with binary with sequence with character and @ad<"20031229"                             | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2008/07/02<br>11:28 |
| S70 | 134 | (represent or convert) with binary with (sequence or string) near3 character and @ad<"20031229" | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2008/07/02<br>11:28 |
| S71 | 8   | store near4 (binary data) with (sequence or string) near3 character and @ad<"20031229"          | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2008/07/02<br>11:28 |
| S72 | 14  | URL with (encode or query or post) with ad and @ad<"20031229"                                   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/06<br>15:14 |
| S73 | 6   | US-5708780-\$.DID. OR US-5740549-\$.DID. OR US-5838790-\$.DID.                                  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/06<br>15:49 |
| S74 | 2   | "20030208560".did.  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/06<br>15:51 |
| S75 | 0   | (ad or advertisement) near2 tracking and re-direct same URL and @ad<"20031028"                  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/06<br>15:52 |
| S76 | 5   | (ad or advertisement) near4 track\$4 and re-direct same URL and @ad<"20031028"                  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/06<br>15:52 |

|     |      |   |   |     |    |                     |
|-----|------|---|---|-----|----|---------------------|
| S77 | 0    | binary with sequence with concatenate with character                                | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |
| S78 | 1384 | binary with sequence with character   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |
| S79 | 11   | binary with sequence with character with concat\$8                                  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |
| S80 | 6    | binary with sequence with character with concat\$8 and @ad<"20031229"               | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |
| S81 | 26   | convert with binary with sequence with character and @ad<"20031229"                 | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |
| S82 | 162  | represent with binary with (sequence or string) with character and @ad<"20031229"   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |
| S83 | 34   | represent near3 binary with (sequence or string) near3 character and @ad<"20031229" | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |
| S84 | 0    | (ad or advertisement) with click with encode with URL and @ad<"20031229"            | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |
| S85 | 0    | (ad or advertisement) with click same (encode with URL) and @ad<"20031229"          | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |

|     |     |  |   |     |    |                     |
|-----|-----|--|---|-----|----|---------------------|
| S86 | 152 | (ad or advertisement) with click with url and @ad< "20031229"  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |
| S87 | 0   | (ad or advertisement) with click with intermediate with url and @ad< "20031229"                            | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |
| S88 | 0   | (ad or advertisement) with click with url same (intermediate with track) and @ad< "20031229"               | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |
| S89 | 2   | (ad or advertisement) with click with url same (track) and @ad< "20031229"                                 | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |
| S90 | 0   | (ad or advertisement) with click with url same (track) and (intermediate near3 server) and @ad< "20031229" | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |
| S91 | 1   | ((ad or advertisement) with click with redirect with (proxy or intermediate)) and @ad< "20031229"          | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |
| S92 | 0   | ((ad or advertisement) with click with redirect) and (track same statistics) @ad< "20031229"               | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |
| S93 | 0   | ((ad or advertisement) with click with redirect) and (track) @ad< "20031229"                               | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |
| S94 | 0   | ((ad or advertisement) with click with re-direct) and (track) @ad< "20031229"                              | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |

|      |        |  |   |     |    |                     |
|------|--------|--|---|-----|----|---------------------|
| S95  | 0      | ((ad or advertisement) with click with redirect) and (track same statistics) and @ad<"20031229"                            | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |
| S96  | 1      | ((ad or advertisement) with click with re-direct) and (track same statistics) and @ad<"20031229"                           | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |
| S97  | 1      | ((ad or advertisement) with click with (re-direct or redirect)) and (track same statistics) and @ad<"20031229"             | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |
| S98  | 1      | ((ad or advertisement) with click with (re-direct or redirect or redirect)) and (track same statistics) and @ad<"20031229" | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |
| S99  | 543655 | microprocessor   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |
| S100 | 12270  | micro-processor  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |
| S101 | 19733  | micro processor  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |
| S102 | 550378 | micro-processor or microprocessor  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |
| S103 | 19733  | micro-processor or micro processor   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |

|      |      |  |   |     |    |                     |
|------|------|--|---|-----|----|---------------------|
| S104 | 42   | ((ad or advertisement) with click with (re-direct or redirect or redirect)) and (track) and @ad<"20031229"       | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |
| S105 | 0    | ((ad or advertisement) with click with (re-direct or redirect or redirect)) with intermediate and @ad<"20031229" | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |
| S106 | 27   | represent near3 binary with (sequence or string) near3 character and @ad<"20030124"                              | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |
| S107 | 26   | convert with binary with sequence with character and @ad<"20031229"  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |
| S108 | 135  | ((represent or convert) with binary with (sequence or string) near3 character and @ad<"20031229"                 | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |
| S109 | 8    | store near4 (binary data) with (sequence or string) near3 character and @ad<"20031229"                           | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |
| S110 | 0    | encode with URL with (time or charge\$4) @ad<"20031229"  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |
| S111 | 12   | encode with URL with (time or charge\$4) and @ad<"20031229"  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |
| S112 | 3461 | ((encode or contain or insert) NEAR2 URL) and @ad<"20031229"   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |

|      |      |   |   |     |    |                     |
|------|------|---|---|-----|----|---------------------|
| S113 | 810  | ((encode or contain or insert) NEAR2 URL) with information and @ad<"20031229"       | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |
| S114 | 48   | ((encode) NEAR2 URL) with information and @ad<"20031229"                            | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |
| S115 | 0    | binary with sequence with concatenate with character                                | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |
| S116 | 1384 | binary with sequence with character   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |
| S117 | 11   | binary with sequence with character with concat\$8                                  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |
| S118 | 6    | binary with sequence with character with concat\$8 and @ad<"20031229"               | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |
| S119 | 26   | convert with binary with sequence with character and @ad<"20031229"                 | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |
| S120 | 162  | represent with binary with (sequence or string) with character and @ad<"20031229"   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |
| S121 | 34   | represent near3 binary with (sequence or string) near3 character and @ad<"20031229" | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |

|      |     |   |   |     |    |                     |
|------|-----|---|---|-----|----|---------------------|
| S122 | 0   | (ad or advertisement) with click with encode with URL and @ad<"20031229"                                  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |
| S123 | 0   | (ad or advertisement) with click same (encode with URL) and @ad<"20031229"                                | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |
| S124 | 152 | (ad or advertisement) with click with url and @ad<"20031229"  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |
| S125 | 0   | (ad or advertisement) with click with intermediate with url and @ad<"20031229"                            | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |
| S126 | 0   | (ad or advertisement) with click with url same (intermediate with track) and @ad<"20031229"               | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |
| S127 | 2   | (ad or advertisement) with click with url same (track) and @ad<"20031229"                                 | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |
| S128 | 0   | (ad or advertisement) with click with url same (track) and (intermediate near3 server) and @ad<"20031229" | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |
| S129 | 1   | ((ad or advertisement) with click with redirect with (proxy or intermediate)) and @ad<"20031229"          | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |
| S130 | 0   | ((ad or advertisement) with click with redirect) and (track same statistics) @ad<"20031229"               | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |

|      |        |  |   |     |    |                     |
|------|--------|--|---|-----|----|---------------------|
| S131 | 0      | ((ad or advertisement) with click with redirect) and (track) @ad<"20031229"  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |
| S132 | 0      | ((ad or advertisement) with click with re-direct) and (track) @ad<"20031229"   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |
| S133 | 0      | ((ad or advertisement) with click with redirect) and (track same statistics) and @ad<"20031229"                            | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |
| S134 | 1      | ((ad or advertisement) with click with re-direct) and (track same statistics) and @ad<"20031229"                           | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |
| S135 | 1      | ((ad or advertisement) with click with (re-direct or redirect)) and (track same statistics) and @ad<"20031229"             | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |
| S136 | 1      | ((ad or advertisement) with click with (re-direct or redirect or redirect)) and (track same statistics) and @ad<"20031229" | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |
| S137 | 543655 | microprocessor   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |
| S138 | 12270  | micro-processor  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |
| S139 | 19733  | micro processor  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |



|      |        |  |   |     |    |                     |
|------|--------|--|---|-----|----|---------------------|
| S140 | 550378 | micro-processor or microprocessor  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |
| S141 | 19733  | micro-processor or micro processor   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |
| S142 | 42     | ((ad or advertisement) with click with (re-direct or redirect or redirect)) and (track) and @ad<"20031229"       | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |
| S143 | 0      | ((ad or advertisement) with click with (re-direct or redirect or redirect)) with intermediate and @ad<"20031229" | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |
| S144 | 27     | represent near3 binary with (sequence or string) near3 character and @ad<"20030124"                              | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |
| S145 | 26     | convert with binary with sequence with character and @ad<"20031229"  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |
| S146 | 135    | ((represent or convert) with binary with (sequence or string) near3 character and @ad<"20031229"                 | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |
| S147 | 8      | store near4 (binary data) with (sequence or string) near3 character and @ad<"20031229"                           | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |
| S148 | 14     | URL with (encode or query or post) with ad and @ad<"20031229"  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |

|      |   |  |   |     |    |                     |
|------|---|--|---|-----|----|---------------------|
| S149 | 6 | US-5708780-\$.DID. OR US-5740549-\$.DID. OR US-5838790-\$.DID.                           | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |
| S150 | 2 | "20030208560".did.   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |
| S151 | 0 | (ad or advertisement)<br>near2 tracking and re-<br>direct same URL and<br>@ad<"20031028" | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |
| S152 | 5 | (ad or advertisement)<br>near4 track\$4 and re-<br>direct same URL and<br>@ad<"20031028" | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/05/07<br>13:30 |

11/ 9/ 2009 12:09:30 PM

C:\Documents and Settings\wnoonan\My Documents\EAST\Workspaces\10749110 Ad encode  
URL.wsp